

Highlights from MMPI History: A Timeline Perspective¹

James N. Butcher
Professor Emeritus
University of Minnesota

Handout for 9th Annual Conference on
Contemporary Applications of Psychological Testing
Boston, Ma
April 2nd, 2005

- 1940 First journal publication on the Multiphasic Schedule (Hathaway & McKinley, 1940)
- 1943 Time Magazine announcement of the broad use of the MMPI.

Applications of the MMPI in medical assessment (Schiele, et al., 1943)
- 1944 Established the value of the MMPI in personnel selection (Abramson, 1944)
- 1945 Meehl's empiricist manifesto (Meehl, 1945).

First use of the MMPI with adolescents (Capwell, 1945).
- 1946 Development of the Si scale (Drake, 1946)

Classic studies on semi-starvation effects among conscientious objectors (Keys, et al, 1946).
- 1947 Simulated patterns on the MMPI Gough, 1947).
- 1948 First translations of the MMPI (Abe in Japan and Reda in Italy; two countries that a few years earlier had been at war with the United States)
- 1951 Analyzing and predicting delinquency (Hathaway & Monachesi, 1951)

¹ The fifty timeline highlights were selected as events that had special influential significance and positive contribution to MMPI development. This is not a comprehensive listing of MMPI contributions and other important studies could have been included had space allowed.

- 1952 First factor analysis of the test establishing the factor structure of the MMPI scales (Welsh, 1952)
- 1954 Meehl's article on clinical versus statistical prediction establishing the actuarial prediction approach in psychology (Meehl, 1954).
- 1955 Work by Reitan contributed to the inclusion of the MMPI in neurological assessment (Reitan, 1955).
- Empirical validation of code types (Halbower, 1955).
- Development of the Harris Lingo's Subscales (Harris & Lingo's, 1955)
- 1956 Factors in test translation (Sundberg, 1956).
- 1960 First comprehensive interpretation text for the MMPI (Dahlstrom & Welsh, 1960)
- 1962 Development of the first computer interpretation system at the Mayo Clinic by John Pearson and Wendell Swenson, (Pearson, Swenson, et al., 1965; Rome, Swenson, et al., 1962)
- 1963 Marks & Seeman's actuarial prediction providing an interpretive cookbook for MMPI codes with outpatients (MMPI cookbook) (Marks & Seeman, 1963).
- 1965 Gilberstadt & Duker (MMPI cookbook) for inpatients. (Gilberstadt & Duker, 1965)
- 1965 Block's study dispelling the power of response sets (Block, 1965)
- Establishment of the *Symposium on Recent Developments in the Use of the MMPI* that has brought new research and clinical interpretation strategies to psychologists for 40 years.
- 1966 Wiggins's content scale interpretation approach (Wiggins, 1966)
- Gottesman & Shields' MMPI study on the genetics of schizophrenia and personality (Gottesman & Shields, 1966).
- Strength of actuarial methods in psychological assessment (Sines, 1966)

- 1967 Development of the first Narrative MMPI interpretive program with Roche Laboratories (Fowler, 1967)
- 1968 Craig MacAndrew developed the MAC Scale-- a highly successful addiction proneness scale
- 1969 First public discussion of the need for an MMPI revision by a panel of MMPI experts at the 5th *MMPI Symposium on Recent Developments in the Use of the MMPI* in Minneapolis, MN.
- 1970 First *International Symposium on Recent Developments in the MMPI (Mexico)* highlighting international use of the MMPI.
- 1972 Changing perspectives in objective personality assessment (detailed discussion on the need for and factors in the revision of the MMPI (Butcher, 1972)
- 1976 Developed a rigorous methodology for MMPI translation (Butcher & Pancheri, 1976)
- 1977 Established a system for the classification of profiles in criminal offenders (Megargee, 1977)
- Publication of John Graham's MMPI long-running and widely used interpretive textbook "*The MMPI: A Practical Guide.*"
- 1978 Innovative clinical programming that integrated the MMPI into chronic pain treatment programs (Fordyce, 1978)
- 1981 The MMPI revision and data collection began after many years of discussion: The MMPI-2 Revision Committee was comprised of James Butcher, John Graham, W. Grant Dahlstrom. Auke Tellegen joined the Committee a few years later in the data analysis stage.
- 1985 Predicting behavior with the MMPI in job applicants (Beutler, 1985).
- 1988 Malingering assessment in psychological tests (Schretlen, 1988).
- 1989 MMPI-2 was published –20 years after the need for a revision was established at the 5th *Annual Symposium on Recent Developments in the Use of the MMPI* (Butcher, Dahlstrom, Graham, et al., 1989).
- Criteria for assessing inconsistent patterns of item endorsement (Nichols, Greene, & Schmolck, 1989).
- 1990 Development of the MMPI-2 content scales (Butcher, Graham, et al 1990)

- 1991 Research verified the validity of MMPI-2 indices (Berry, Baer, & Harris, 1991; Graham, Watts, & Timbrook, 1991).
- 1992 MMPI-A was published (Butcher, Williams, et al., 1992)
- Therapeutic Assessment (test feedback in therapy) demonstrated to be an effective treatment strategy (Finn & Tonsager, 1992).
- Delineation of the new T scores for MMPI-2 (Tellegen & Ben-Porath, 1992)
- Development of new measures for substance abuse assessment (Weed, et al. 1992)
- 1995 Development of the Fp Scale (Arbisi & Ben-Porath, 1995)
- Development of the Superlative Self Presentation (S) scale (Butcher & Han, 1995).
- Importance of validity indicators in MMPI-2 evaluation (Bagby, 1995).
- Established the continuity of MMPI code type correlates in the MMPI-2 (Archer, Griffin, & Aiduk, 1995).
- MMPI contributions after 1995 were not included in the selection process.

References

Abramson, H. A. (1945). The Minnesota personality test in relation to selection of specialized military personnel. *Psychosomatic Medicine*, 7, 178-184.

Arbisi, P. & Ben-Porath, Y. S. (1995). An MMPI-2 infrequency scale for use with psychopathological populations: The Infrequency-Psychopathology Scale, F (p). *Psychological Assessment*, 7, 424-431.

Archer, R. P., Griffin, R. & Aiduk, R. (1995). Clinical correlates for ten common code types. *Journal of Personality Assessment*, 65, 391-408.

Bagby, R. M. (1995). Relative effectiveness of the standard validity scales in detecting fake-bad and fake-good responding: Replication and extension. *Psychological Assessment, 7*, 84-92.

Berry, D. T., Baer, R. A., & Harris, M. J. (1991). Detection of malingering on the MMPI: A meta-analysis. *Clinical Psychology Review, 11*, 585-591.

Beutler, L. E. (1985). Parameters in the prediction of police officer performance. *Professional Psychology - Research & Practice, 16*, 324-335.

Block, J. (1965). *The challenge of response sets*. New York: Appleton-Century Crofts.

Butcher, J. N. (Ed.). (1972). *Objective personality assessment: Changing perspectives*. New York: Academic Press.

Butcher, J. N., Dahlstrom, W. G., Graham, J. R., Tellegen, A. M., & Kaemmer, B. (1989). *Minnesota Multiphasic Personality Inventory-2 (MMPI-2): Manual for administration and scoring*. Minneapolis: University of Minnesota Press.

Butcher, J. N., Graham, J. R., Williams, C.L., & Ben-Porath, Y. S. (1990). *Development and use of the MMPI-2 Content Scales*. Minneapolis: University of Minnesota Press.

Butcher, J. N., Williams, C. L., Graham, J. R., Archer, R., Tellegen, A., Ben-Porath, Y. S., & Kaemmer, B. (1992). *MMPI-A manual for administration, scoring, and interpretation*. Minneapolis: University of Minnesota Press.

Butcher, J. N., & Pancheri, P. (1976). *Handbook of cross-national MMPI research*. Minneapolis: University of Minnesota Press.

Butcher, J. N. & Han, K. (1995). Development of an MMPI-2 scale to assess the presentation of self in a superlative manner: The S Scale. In J. N. Butcher and C. D. Spielberger (Eds.) *Advances in personality assessment*, Volume 10. Hillsdale, N. J.: LEA Press.(Pp 25-50).

Capwell, D. (1945). Personality patterns of adolescent girls: II. Delinquents and non-delinquents. *Journal of Applied Psychology, 29*, 289-297.

Drake, L. E. (1946). A social I.E. scale for the Minnesota Multiphasic Personality Inventory. *Journal of Applied Psychology, 30*, 51-54.

Finn, S., & Tonsager, M. (1992). Therapeutic effects of providing MMPI-2 test feedback to college students awaiting therapy. *Psychological Assessment, 4*, 278-287.

Fordyce, W. E. (1978). Relationship of patient semantic pain descriptions to physician diagnostic judgments, activity level measures and MMPI. *Pain*, 5, 293-303.

Fowler, R. D., Jr. (1967). Computer interpretation of personality tests: The automated psychologist. *Comprehensive Psychiatry*, 8(6), 455-467.

Gilberstadt, H. D. J. (1965). *A handbook for clinical and actuarial MMPI interpretation*. Philadelphia: W.B. Saunders.

Gottesman, I. I. & Shields, J. (1966). Schizophrenia in twins: 16 years' consecutive admissions to a psychiatric clinic. *British Journal of Psychiatry*, 112, 809-818.

Gough, H. G. (1947). Simulated patterns on the Minnesota Multiphasic Personality Inventory. *Journal of Abnormal & Social Psychology*, 42, 215-225.

Graham, J. R. 1977. *The MMPI: A Practical Guide*. New York: Oxford University Press.

Graham, J. R., Watts, D., & Timbrook, R. (1991). Detecting fake-good and fake-bad MMPI-2 profiles. *Journal of Personality Assessment*, 57, 264-277.

Halbower, C. C. (1955). A comparison of actuarial versus clinical prediction to classes discriminated by the Minnesota Multiphasic Personality Inventory. Dissertation Abstracts International, 15, 1115.

Harris, R. E., & Lingo, J. C. (1955). *Subscales for the MMPI: An aid to profile interpretation* [Mimeographed materials]. Los Angeles: University of California, Department of Psychiatry. (Reprinted in 1968).

Hathaway, S. R., & McKinley, J. C. (1940). A multiphasic personality schedule (Minnesota): I. Construction of the schedule. *Journal of Psychology*, 10, 249-254.

Hathaway, S. R. & Monachesi, E. D. (1951). The prediction of juvenile delinquency using the Minnesota Multiphasic Personality Inventory. *American Journal of Psychiatry*, 108, 469-473.

Keys, A. M. et al. (1946). Later stages of rehabilitation following experimental starvation in man. In *Laboratory of physiological hygiene report* (Minneapolis: University of Minnesota).

MacAndrew, C. (1965). The differentiation of male alcoholic outpatients from nonalcoholic psychiatric outpatients by means of the MMPI. *Quarterly Journal of Studies on Alcohol*, 26, 238-246.

Marks, P. A. Seeman, W. (1963). *The actuarial description of personality: an atlas for use with the MMPI*. Baltimore: Williams and Wilkins.

Meehl, P. E. (1954). *Clinical versus statistical prediction: A theoretical analysis and a review of the evidence*. Minneapolis: University of Minnesota Press.

Meehl, P. E. (1945). The dynamics of "structured" personality tests. *Journal of Clinical Psychology*, 1, 296-303, of-303.

Megargee, E. I. (Ed.) (1977). A new classification system for criminal offenders [Special issue]. *Criminal Justice and Behavior*, 4 (2).

Nichols, D. S., Greene, R. L., & Schmolck, P. (1989). Criteria for assessing inconsistent patterns of item endorsement on the MMPI: Rationale, development, and empirical trials. *Journal of Clinical Psychology*, 45, 239-250.

Pearson, J. S., Swenson, W. M., Rome, H. P., Mataya, P., & Brannick, T. L. (1965). Development of a computer system for scoring and interpreting the Minnesota Multiphasic Personality Inventory in a medical setting. *Annals of the New York Academy of Sciences*, 126, 682-692.

Reitan, R. M. (1955). Affective disturbances in brain-damaged patients; measurements with the Minnesota Multiphasic Personality Inventory. *Archives of Neurology & Psychiatry*, 73, 530-532.

Rome, H. P., Swenson, W. M., Mataya, P., McCarthy, C. E., Pearson, J. S., Keating, F. R., & Hathaway, S. R. (1962). Symposium on automation techniques in personality assessment. *Proceedings of the Staff Meetings of the Mayo Clinic*, 37, 61-82.

Schretlen, D. J. (1988). The use of psychological tests to identify malingered symptoms of mental disorder. *Clinical Psychology Review*, 8, 451-476.

Schiele, B. C. et al (1943). The Minnesota multiphasic personality inventory. *Lancet*, 63, 292-297.

Sines, J. O. (1966). Actuarial methods as appropriate strategy for the validation of diagnostic tests *Psychological Review*, 71, 517-523.

Sundberg, N. D. (1956). The use of the MMPI for cross-cultural personality study: A preliminary report on the German translation. *Journal of Abnormal & Social Psychology*, 58, 281-283.

Tellegen, A., & Ben-Porath, Y. S. (1992). The new uniform T-scores for the MMPI-2: Rationale, derivation, and appraisal. *Psychological Assessment*, 4, 145-155.

Weed, N. C., Butcher, J. N., Ben-Porath, Y. S., & McKenna, T. (1992). New measures for assessing alcohol and drug abuse with the MMPI-2: The APS and AAS. *Journal of Personality Assessment*, 58, 389-404.

Wiggins, J. S. (1966). Substantive dimensions of self-report in the MMPI item pool. *Psychological Monographs*, 80(22, Whole No. 630).