Pop-Up Blockers: Disabling

Pop-up blockers must be disabled for ULearn to function properly. To allow pop-up windows in ULearn, follow the instructions below.

CHROME

- 1. Click the Chrome menu button in on the far right of the browser toolbar.
- 2. Click <Settings>. This will open a new tab.
- 3. Scroll down and click <Show advanced settings...>.
- 4. In the "Privacy" section, click <Content settings...>.
- 5. In the "Pop-ups" section, select "Allow all sites to show pop-ups."
 - a. To customize permissions for specific websites, click <Manage exceptions...>.
 - b. In the "Pop-up exceptions" window, type "umn.csod.com" (without quotation marks) then click <Done>.

op-up exceptions		
Hostname pattern	Behavior	
umn.csod.com	Allow	
arn more		Do

6. In the "Content settings" window, click <Done>.



Pop-Up Blockers: Disabling (cont.)

INTERNET EXPLORER

1. Click the Internet Options icon on the far right of the browser toolbar. Select "Internet Options."



- 2. On the Privacy tab, under "Pop-up Blocker," click <Settings>.
- 3. In the Pop-up Blocker Settings window, type "umn.csod.com" (without quotation marks) then click <Add>.

Pop-up Blocker Settings	×
Exceptions Pop-ups are currently blocked. You can allow pop-ups from websites by adding the site to the list below. Address of website to allow: umn.csod.com	n specific Add
Allowed sites:	
umn.csod.com	Remove
Notifications and blocking level:	
✓ Play a sound when a pop-up is blocked.	
Show Notification bar when a pop-up is blocked.	
Blocking level:	
Medium: Block most automatic pop-ups	•
Leam more about Pop-up Blocker	Close

Pop-Up Blockers: Disabling (cont.)

- 4. Click <Close>, then <OK>.
- 5. Close all Internet Explorer windows. Pop-up windows for ULearn will be allowed when you re-open Internet Explorer.

FIREFOX

1. Click the Firefox menu button

on the far right of the browser toolbar.

2. Click the Options (Windows) or Preferences (Mac) icon.



3. On the **Content** tab next to "Block pop-up windows," click <Exceptions...>.



4. Type "umn.csod.com" (without quotation marks) in the Address of website field.

Pop-Up Blockers: Disabling (cont.)

	Allowed Sites - Pop-up)5	3					
You can specify which websites are allowed to open pop-up windows. Type the exact address of the site you want to allow and then click Allow.								
umn.csod.com								
		Allow						
Site		Status						
<u>R</u> emove Site	R <u>e</u> move All Sites	<u>C</u> lose						

- 5. Click <Allow>.
- 6. Click <Close> (Windows) or <Save Changes> (Mac) to return to Content/Options panel.
- 7. Close all Firefox windows. Pop-up windows for ULearn will be allowed when you re-open Firefox.

SAFARI

- 1. Select "Preferences..." from the **Safari** drop-down menu (Mac) or (Windows).
- 2. On the **Security** tab, verify that "Block pop-up windows" is unchecked. If a check mark appears, click to uncheck it.
- 3. The example below indicates pop-up windows are not blocked.

Security										— ×
General	Appearance	Bookmarks	Tabs	RSS RSS	AutoFill	Security	Privacy	Extensions	Advanced	
Fraudulent sites: 🔍 Warn when visiting a fraudulent website										
Web content: 🗹 Enable plug-ins										
🗹 Enable Java										
Enable JavaScript										
Block pop-up windows										