


# Setting the Internet Based Server for Configuration Manager 2007 Clients

## In this guide


This guide describes the procedure to update System Center Configuration Manager 2007 clients with the Internet Based Server information. The Internet Based Server is the server that client will talk to when they are off the University of Minnesota's Local Area Network (LAN).

## Set the Internet Based Server with ConfigMgr Advertisement


1. Create an advertisement to your collection you want to enable the Internet Based Server on for the clients.
  - a. Go to the Advertisements folder in the Configuration Manager folder.
  - b. Right-click the Advertisements folder and select New > Advertisement




- c. In the New Advertisement Wizard give the advertisement a name, for the package select browse and select "Set Internet Based Server"



- d. Finish the wizard by selection the collection you want the packages to be advertised to, click next.
- e. On the next page you can make the advertisement mandatory (I suggest doing this).

Under "Mandatory Assignments" click the new button  leave the defaults (recommended) click OK.

- i. NOTE: Where this is a not and resource consuming package I also recommend, depending on the policy you set, to check the box to "Ignore maintenance windows when running program"
- f. Click Next.
- g. On the Distribution Point dialog box, the following settings are recommended:



- h. Click next.
- i. On the 'interaction' dialog box, leave the defaults, click next.
- j. On the 'Security' dialog box, make any necessary adjustments, click next.
- k. On the 'Summary' dialog box, click next.
- l. On the 'Confirmation' dialog box, click Close.

## References

[Article](#) describing the bug